

SEP 1 6 2009

Special 510(k) Page <u>10</u> of <u>14</u>0

Special 510(k) Summary

Special 510(k) Number:	
Date Prepared:	April 23 rd , 2009

This Special 510(k) summary is being submitted in accordance with the requirements of 21 CFR 807.92.

A. Submitter:

MedShape Solutions, Inc. (MSS) 1575 Northside Drive, Suite 440 Atlanta, Georgia 30318

B. Company Contact:

Jack Griffis
Vice President, Research & Development
(404) 249-9156 x11 (direct)
(404) 249-9158 (fax)
Jack Griffis@MedShapeSolutions.com

C. <u>Device Information</u>:

Trade Name:

WedgeLoc[™] 180X Suture Anchor with Opti-Fiber[™] Sutures

Common Name: Suture Anchor

D. Classification Name:

Fastener, Fixation, Non-degradable, Soft Tissue

HWC/MBI 21 CFR 888.3040

Suture, Nonabsorbable, Synthetic, Polyethylene

GAT 21 CFR 878.500

E. Predicate Device(s):

MSS, WedgeLoc[™] Suture Anchor with Opti-Fiber[™] Suture, K083792 Arthrex PushLock[™] Suture Anchor, K051219 Arthrex FiberWIRE[™] Polyblend Suture, K021434

F. Labeling and Intended Use:

NOTE: Draft labels and instructions for use can be found in Attachment D. However, no changes to the labeling or Instructions for Use have been made to the original submitted information per K083792.

The proposed WedgeLoc™ 180X Suture Anchor and Opti-Fiber™ Suture has the same intended uses as the previously cleared device (K083792). In particular, both devices are indicated for fixation of suture to bone in the shoulder, foot/ankle, knee, hand/wrist and elbow in the following procedures:

Shoulder: Rotator Cuff Repair, Bankart Repair, SLAP Lesion Repair,

Biceps Tenodesis, Acromio-Clavicular Separation Repair, Deltoid Repair, Capsular Shift or Capsulolabral Reconstruction

Foot/Ankle: Lateral Stabilization, Medial Stabilization, Achilles Tendon

Repair, Hallux Valgus Reconstruction, Mid-foot Reconstruction,

Metatarsal Ligament Repair

Knee: Medial Collateral Ligament Repair, Lateral Collateral Ligament

Repair, Patellar Tendon Repair, Posterior Oblique Ligament

Repair, Iliotibial Band Tenodesis

Hand/Wrist: Scapholunate Ligament Reconstruction, Ulnar Collateral

Ligament Reconstruction, Radial Collateral Ligament

Reconstruction

Elbow: Biceps Tendon Reattachment, Tennis Elbow Repair, Ulnar or

Radial collateral Ligament Reconstruction

G. Substantial Equivalence Summary:

The proposed WedgeLoc™ 180X Suture Anchor is is substantially equivalent to the predicate WedgeLoc™ Suture Anchor with Opti-Fiber™ Suture (K08379) and the Arthrex PushLock™ Suture Anchor (K051219) in which the basic features and intended uses are the same. In addition, the technological characteristics of the WedgeLoc™ 180X and the WedgeLoc™ Suture Anchors are equivalent. Any differences between the WedgeLoc™ 180X Suture Anchor and the predicate WedgeLoc™ or Arthrex PushLock™ Suture Anchors are considered minor and do not raise questions concerning safety and effectiveness. Based on the information submitted, MedShape Solutions, Inc. has determined that the new WedgeLoc™ 180X Suture Anchor is substantially equivalent to the currently marketed predicate device.

Jack Griffs

Vice President, Research & Development



DEPARTMENT OF HEALTH & HUMAN SERVICES

SEP 1 6 2009

Food and Drug Administration 10903 New Hampshire Avenue Document Mail Center - WO66-G609 Silver Spring, MD 20993-0002

MedShape Solutions % Jack Griffis 1575 Northside Drive, Suite 440 Atlanta, Georgia 30318

Re: K091202

Trade/Device Name: WedgeLoc[™] 180x Suture Anchor and Opti-Fiber[™] Sutures

Regulation Number: 21 CFR 888.3040

Regulation Name: Smooth or threaded metallic bone fixation fastener

Regulatory Class: Class II

Product Code: HWC, MBI, GAT

Dated: September 2, 2009 Received: September 4, 2009

Dear Mr. Griffis:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 - Mr. Jack Griffis

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm.

Sincerely yours,

Mark N. Melkerson

Director

Division of Surgical, Orthopedic and Restorative Devices Office of Device Evaluation Center for Devices and Radiological Health

Enclosure

Ligament

Indications for Use

510(k) Number: K091202

Device Name: WedgeLoc™ 180X Suture Anchor and Opti-Fiber™ Sutures

Indications for Use:

The MedShape Solutions, Inc., WedgeLoc™ 180X Suture Anchor with Opti-Fiber™ Sutures are intended for fixation of suture to bone in the shoulder, foot/ankle, knee, hand/wrist and elbow in the following procedures:

Shoulder:

Rotator Cuff Repair, Bankart Repair, SLAP Lesion Repair, Biceps Tenodesis,

Acromio-Clavicular Separation Repair, Deltoid Repair, Capsular Shift or

Capsulolabral Reconstruction

Foot/Ankle:

Lateral Stabilization, Medial Stabilization, Achilles Tendon Repair, Hallux Valgus

Reconstruction, Mid-foot Reconstruction, Metatarsal Ligament Repair

Knee:

Medial Collateral Ligament Repair, Lateral Collateral Ligament Repair, Patellar

Tendon Repair, Posterior Oblique Ligament Repair, Iliotibial Band Tenodesis

Hand/Wrist:

Scapholunate Ligament Reconstruction, Ulnar Collateral

Reconstruction, Radial Collateral Ligament Reconstruction

Elbow:

Biceps Tendon Reattachment, Tennis Elbow Repair, Ulnar or Radial collateral

Ligament Reconstruction

Prescription Use X (Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)

Division of Surgical, Orthopedic,

and Restorative Devices

510(k) Number <u>K091202</u>